

PJ639X *The Compact and powerful projector*

*This projector model only available for Vietnam market.



- Bright 3900 ANSI lumens
- 32,000:1 high contrast ratio
- Powerful audio with built-in 10W speaker
- ECO+ mode for extended lamp life up to 15,000 hours



Brighter Lumens



15,000
Hours



1.1x



10W



DLP[®]
technology

Brighter Performance

The best choice in medium-sized spaces with this projector. Perfect for lights on viewing and a vibrant picture for all conditions.




High Contrast

Add more depth to your image with outstanding colors and exceptional black and white contrast performance. The image comes alive and text appears crisp and clear.



15,000 hour Lamp Life

Via the extended Lamp Life Mode (Eco+), to maximum the projector efficiency with Low TCO.



USB Power

The built-in USB power output (5V/1.5A) can be utilized to provide power for your streaming dongles such as Chromecast, HDCast Pro, or mobile devices. Charge your mobile devices simply by plugging in your USB charging cable.



Built-in speaker

A powerful integrated 10W speaker allows your content to be heard clearly and is easy to set up without purchasing external speakers.



HDCast Pro Dongle (*Optional)

With an optional HDCastPro dongle, you can wirelessly connect to your laptop, tablet or mobile device and share your streaming videos, photos or documents to the big screen. Especially designed for business and education environments, up to 4 computers can project the content simultaneously.

Low Noise

Only 26dB, quieter than a Whisper



Input / Output



- | | |
|-----------------|--------------|
| 1. HDMI | 5. Audio In |
| 2. USB Power | 6. Audio Out |
| 3. VGA In | 7. VGA Out |
| 4. Composite In | 8. RS-232 |

Specification

Display Technology	Texas Instruments DLP® technology/ 0.55" XGA DMD Chip	Native Resolution	Native: 1024x768 XGA Support Computer signal up to UXGA, 1600 x1200, 60Hz
Brightness / Contrast Ratio	3900 ANSI lumens/ 32,000:1	Display Colors	1073.4 million colors (10bit)
Projection Lens	F=2.41~2.53 ; f = 21.85~24 mm; 1.1x manual zoom	Image Size	25 ~ 250 inch
Projection Distance	1.0~10m	Throw Ratio (Projection distance/width)	1.94~2.16
Digital Keystone Correction	±40° Vertical	Aspect Ratio	4:3, 16:9 , Native, Auto
Lamp Type	203W	Noise	26 dB (Eco mode)
Video Compatibility	HDTV (720p, 1080i/p), SDTV (480i/p, 576i/p)	Lamp Life	6000 /10000 /12000 /15000 Hrs (Bright/ Eco/ Dynamic/ ECO+)
Uniformity	90 %	Speaker	10W speaker
Computer Compatibility	UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac	Input / Output Connections	HDMI V1.4a x1, VGA-in x1, VGA-out x1, Composite x1, Audio-in x1, Audio-out x1, USB Type-A x1, RS232 x1
Scan Rate	Horizontal: 15.375 ~ 91.146 KHz ; Vertical: 50 ~ 85 Hz (120Hz for 3D feature)		
Dimensions(W x D x H)/ Weight	316 x 243.5 x 98 mm / 3.0kg	Power Supply	Universal AC 100 ~ 240V± 10%,50/60Hz