

S400LVe



- Bright 4000 ANSI lumens
- Powerful audio with built-in 10W speaker



Specification

Display Technology	Texas Instruments DLP® technology/ 0.55" SVGA DMD Chip	Native Resolution	Native: 800 x 600 (SVGA) Support Computer signal up to UXGA, 1600 x1200
Brightness / Contrast Ratio	4000lm / 25,000:1	Display Colors	1073.4 million colors (10bit)
Projection Lens	F=2.41~2.53 ; f = 21.85~24 mm; 1.1x manual zoom	Image Size	27.78~ 304.4 inch
Projection Distance	1 ~ 12m	Throw Ratio (Projection distance/width)	1.94~2.16
Digital Keystone Correction	±40° Vertical	Aspect Ratio	4:3, 16:9 , Native, Auto
Lamp Type	203W	Noise	27 dB
Video Compatibility	HDTV (720p, 1080i/p), SDTV (480i/p, 576i/p)	Lamp Life	6000 /10000/12000/15000 Hrs (Bright/ Eco/Dynamic/Eco+)
Computer Compatibility	UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac	Speaker	10W speaker
Scan Rate	Horizontal : 15.375 ~ 91.146 KHz ; Vertical :50 ~ 85 Hz (120Hz for 3D feature)	Input / Output Connections	HDMI x1, VGA-in x1 VGA-out x1, Composite x 1 Audio-in x1, Audio-out x1 USB Type-A x1, RS232 x1
Dimensions(W x D x H)	316 x 243.5 x 98 mm		
Weight	3.0kg	Power Supply	Universal AC 100 ~ 240V± 10%,50/60Hz